

## Pulley Man KIT

### Product information



The Pulley Man winch can be installed in three ways, rotates 360 degrees and has an infinite cable.

- Light weight and portable
- Suitable to lift loads up to 600 kg (PM600)
- Suitable to pull loads up to 3000 kg
- Can be used with a cordless drill and power drill
- Possible to rotate the load 360°
- Standard rope length 12 meters
- Patented self-braking reduction brake
- 1 layer of paint

#### KIT including:

- Pulley Man PM300 or PM600
- Robust case with foam L: 457 W: 367 H: 183 - Brand: Explorercase
- Cordless drill 18V - 50 Nm - Brand: Hikoki
- 2 Li-ion batteries 18V - 2,5 Ah - Brand: Hikoki
- 1 charger - Brand: Hikoki
- 1 steel wire rope sling standard length 12 mtr
- 2 shackles type G-210 - Brand: Crosby
- 1 sling, length 1 m

**Marking:** CE-marked

**Note:** See the pulling capacities in the technical data tab

WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Weight kg
0.3	12	6	1	9.5
0.6	12	3	2	10

## Technical data

Maximum loading capacity at wheeled traction on a plane surface depending on the slope

<b>Gradient</b>	<b>PM300</b> <b>kg</b>	<b>PM600</b> <b>kg</b>
6°	1500	3000
12°	975	1950
16°	825	1650
27°	585	1170
35°	450	900

# Blueprint

