



## Clevis sling hook with latch, grade 80

### Product information

Clevis sling hook with latch, grade 80.

Hook is equipped with spring loaded safety latch. Attachment directly to the chain with clevis link.

**Material:** Steel

**Marking:** According to standard, CE-marked

**Temperature range:** -40 - (+)200°C / 400°C = WLL 75%

**Finish:** Painted, yellow

**Standard:** EN 1677-2

**Warning:** Not to be heat-treated

**Safety factor:** 4:1

**Grade:** 8

| Part Code    | WLL ton | For chain dia. mm | K mm | H mm | E mm | M mm | R mm | B mm | Weight kg |
|--------------|---------|-------------------|------|------|------|------|------|------|-----------|
| 401300110640 | 1.12    | 6                 | 76   | 23   | 26   | 8    | 35   | 32   | 0.32      |
| 401300200640 | 2       | 7/8               | 85   | 32   | 29   | 9.5  | 37   | 37   | 0.48      |
| 401300320640 | 3.15    | 10                | 104  | 35   | 32   | 13   | 46   | 49   | 0.95      |
| 401300530640 | 5.3     | 13                | 128  | 42   | 36   | 16   | 56   | 56   | 1.8       |
| 401300800640 | 8       | 16                | 150  | 54   | 55   | 21   | 60   | 70   | 3.4       |
| 401301250640 | 12.5    | 20                | 180  | 58   | 61   | 24   | 79   | 77   | 6         |

## Technical data

### SPARE PARTS

| Spare part set (product code)   Inc. latch, spring and pin/nut | Fits the hook (product code) |
|--|------------------------------|
| SALKHVO6S  | SALKH6                       |
| SALKHVO78S   | SALKH78                      |
| SALKHVO10S   | SALKH10                      |
| SALKHVO13S   | SALKH13                      |
| SALKHVO16S   | SALKH16                      |
| SALKHVO20S   | SALKH20                      |

# Blueprint

