

## Spriegotājs āķis/cilpa

### Preces apraksts



**Apraksts:** Spriegotājs vispārējam pielietojumam.

**Standarts:** DIN 1480.

*Neizmanto kravu celšanai!*

**Konstrukcija:** Cilpa / āķis, āķis / āķis, cilpa / cilpa.

**Pārklājums:** Cinkots.

Artikula Nr.	Kods	Length mm	Vītne	a (mm)	b min-max	c (mm)	r (mm)	Svars kg
492115400050	VR05SK1480	124-154	M5	-	124-154	-	-	3,3
492125200050	VR06SK1480	172-252	M6	110	172 - 252	9	8,5	9,5
492125700050	VR08SK1480	182-257	M8	-	-	-	-	16,5
492129800050	VR10SK1480	213-298	M10	125	213 - 298	14	13,5	29
492131800050	VR12SK1480	238-318	M12	125	238 - 318	16	15,5	43
492135300050	VR14SK1480	263-353	M14	140	263 - 353	18	18,5	62
492143000050	VR16SK1480	320-430	M16	170	320 - 430	22	19,5	92
492149700050	VR20SK1480	367-497	M20	170	367 - 497	24	20,5	163
492154300050	VR22SK1480	398-543	M22	200	398 - 543	27	26	220
492161700050	VR24SK1480	447-617	M24	220	447 - 617	27	26	300
492166200050	VR30SK1480	512-662	M30	255	512 - 662	31	22	460

## Rasējums

